


**CITY OF SWAN**  
**Planning Information**  
 ECM Doc Set ID: 5880217  
 Approval Date: 1/09/2020

*Disclaimer:  
 The City makes every attempt to keep its published records up to date, however the subject document may have been superseded by a more recently approved document.*



**CITY OF SWAN**  
**REVISED PLAN**  
 26/8/2020

**LOCAL DEVELOPMENT PLAN PROVISIONS**

**RESIDENTIAL DESIGN CODE VARIATIONS**  
 The development standards contained in the Local Development Plan (LDP) apply in addition to those development requirements of the Local Planning Scheme No. 17 (LPS 17) and any relevant planning policy effective under LPS 17.

Where a development standard is specifically stipulated within this LDP, that standard prevails over the requirements of the R-MD Codes, the R-Codes and any other requirements of LPS 17. The requirements of the R-MD Codes, the R-Codes and LPS 17 shall be satisfied in all other matters.

The LDP provisions apply to those lots identified within the Local Development Plan boundary. The density code for each lot is as per the prevailing R-Codes Plan.

- VEHICULAR ACCESS & GARAGES**
  - a) Designated garage locations apply to lots identified on the Local Development Plan. Designated garage locations do not prescribe boundary walls but reference the side of the lot to which the garage must be located.
- NOISE MANAGEMENT**
  - a) Building permit applications submitted for lots requiring noise attenuating construction standards must demonstrate compliance with 'Quiet House Design Package A' and 'Quiet House Design Package B' (as illustrated) as described under Part 4 of the implementation Guidelines for 'State Planning Policy 5.4 - Road and Rail Noise (WAPC 2019)'. A design that does not comply with 'Quiet House Design Package A' or 'Quiet House Design Package B' will only be considered acceptable where supported by a detailed assessment from a competent person confirming compliance with the Guidelines. The City generally accepts members of the Australian Acoustical Society as competent in the assessment of architectural and building acoustics.
  - b) For lots requiring 'Quiet House Design Package A' or 'Quiet House Design Package B' (as illustrated), the location of the minimum prescribed Outdoor Living Area is recommended on the opposite side of the building from the transport corridor.  
 Alternatively, provision of solid fencing of 2.0m - 2.4m high is required, pursuant to Table 6.3 of 'State Planning Policy 5.4 - Road and Rail Noise', for noise attenuation purposes, and subject to the applicable Quiet House Design Package.
  - c) Where two-storey development is proposed in lots requiring noise attenuating construction standards ('Quiet House Design A' or 'Quiet House Design B' as illustrated on the Local Development Plan), specialist advice from a suitably qualified Acoustic Consultant is required.

**LEGEND**

- LOTS SUBJECT TO LDP
- NO VEHICLE ACCESS
- DESIGNATED GARAGE LOCATION
- QUIET HOUSE DESIGN - PACKAGE A
- QUIET HOUSE DESIGN - PACKAGE B
- POWERLINE EASEMENT

**CITY OF SWAN**  
**APPROVED**  
**LOCAL DEVELOPMENT PLAN**

The development guidelines as shown on this plan are subject to the following conditions:  
 Reference No.: LDP/22/2020  
 Approval Date: 01 Sep 2020  
 Expiration Date: 01 Sep 2030  
 (unless revoked earlier)

Principal Planner: *[Signature]* Date: \_\_\_\_\_  
 DeS Ref: **Delegated Authority Officer:** *[Signature]* **John Elliott**



**LOCAL DEVELOPMENT PLAN**  
 Stage 6A - Illumina Private Estate  
 A Mirvac Project

